

No. _____

Date : Nov. 2, 1990

Attention :

Your ref. No. :

Your Part No. : 194141

SPECIFICATIONS

ALPS' ;

RK1631210APQA

MODEL: (20KA x 2)

Spec.No.: 4K162A0920

Fig.No. : K162A007EE

 **ALPS ELECTRIC CO., LTD.**

HEAD OFFICE
1-7, YUKIGAYA-OHTSUKA-CHO,
OHTA-KU, TOKYO 145 JAPAN

DSG'D S. Sugawara

APP'D R. Kusaka


ENG. DEPT. WAKUYA DIVISION

USED ON: RESISTANCE TAPER

NAME: RESISTANCE TAPER
 TITLE: SPECIFICATIONS
 ALPS ELECTRIC CO., LTD
 1-7 YUKIGAYA OTSUKA-CHO
 OTA-KU TOKYO JAPAN



TAPERED CURVE : ALPS "A"



TERM. 1 FULL C.C.W POSITION

TERM. 3

At 150° C.W. shaft rotation from full C.C.W. position. voltage percent shall fall within limits of 10~25 percent.

APPR	CHKD	DSGD NAME
Mar. 28. 80	..	Mar. 28. 80
DATE	APPROVED	DWG. NO
..	..	TA08

CLASS.NO.


TITLE

〈はんだ付け時のご注意事項〉

Caution for soldering

図のようにP.C.B.の上面に はんだ付けをする配線は、
お避け下さい。

Please avoid soldering on upper surface of P.C.B. as shown.



					ALPS ALPS ELECTRIC CO., LTD.			
	..				APPD.	CHKD.	DSGD.	TITLE
	..				設3課 89.9.-1 大谷	W設3 89.8.-1 後田	設3 89.8.-1 片紙章	DOCUMENT NO. (/)
SYMB.	DATE	APPD.	CHKD.	DSGD.				